


Java Programming Lab - Week 2

Java Program to implement the following class diagrams

1.

Loan	
-annualInterestRate: double	The annual interest rate of the loan (default: 2.5).
-numberOfYears: int	The number of years for the loan (default: 1)
-loanAmount: double	The loan amount (default: 1000).
-loanDate: Date	The date this loan was created.
+Loan()	Constructs a default Loan object.
+Loan(annualInterestRate: double, numberOfYears: int, loanAmount: double)	Constructs a loan with specified interest rate, years, and loan amount.
+getAnnualInterestRate(): double	Returns the annual interest rate of this loan.
+getNumberOfYears(): int	Returns the number of the years of this loan.
+getLoanAmount(): double	Returns the amount of this loan.
+getLoanDate(): Date	Returns the date of the creation of this loan.
+setAnnualInterestRate(annualInterestRate: double): void	Sets a new annual interest rate to this loan.
+setNumberOfYears(numberOfYears: int): void	Sets a new number of years to this loan.
+setLoanAmount(loanAmount: double): void	Sets a new amount to this loan.
+getMonthlyPayment(): double	Returns the monthly payment of this loan.
+getTotalPayment(): double	Returns the total payment of this loan.

2.



The get methods for these data fields are provided in the class, but omitted in the UML diagram for brevity.

The name of the person.

The age of the person.

The weight of the person in pounds.

The height of the person in inches.

Creates a BMI object with the specified name, age, weight, and height.

Creates a BMI object with the specified name, weight, height, and a default age 20.

Returns the BMI

Returns the BMI status (e.g., normal, overweight, etc.)

BMI table for adults

Classification	BMI range - kg/m ²
Severe Thinness	< 16
Moderate Thinness	16 - 17
Mild Thinness	17 - 18.5
Normal	18.5 - 25
Overweight	25 - 30
Obese Class I	30 - 35
Obese Class II	35 - 40
Obese Class III	> 40

3.

Course	
-courseName: String	The name of the course.
-students: String[]	An array to store the students for the course.
-numberOfStudents: int	The number of students (default: 0).
+Course(courseName: String)	Creates a course with the specified name.
+getCourseName(): String	Returns the course name.
+addStudent(student: String): void	Adds a new student to the course.
+dropStudent(student: String): void	Drops a student from the course.
+getStudents(): String[]	Returns the students in the course.
+getNumberOfStudents(): int	Returns the number of students in the course.

