

1. Implement three node point-to-point networks with duplex links between them. Set the queue size, vary the bandwidth and find the number of packets dropped.

TCL:

#Create a simulator object

```
set ns [ new Simulator ]
```

#Open the nam trace file

```
set tf [ open lab1.tr w ]
```

```
$ns trace-all $tf
```

#Open the nam trace file

```
set nf [ open lab1.nam w ]
```

```
$ns namtrace-all $nf
```

#Define a 'finish' procedure

```
proc finish { } {
```

```
    global ns nf tf
```

```
    $ns flush-trace
```

```
    exec nam lab1.nam &
```

```
    close $tf
```

```
    close $nf
```

```
    exit 0
```

```
}
```

#Creating nodes

```
set n0 [$ns node]
```

```
set n1 [$ns node]
```

```
set n2 [$ns node]
```

```
set n3 [$ns node]
```

```
#Define different colors and labels for data flows
```

```
$ns color 1 "red"  
$ns color 2 "blue"  
$n0 label "Source/udp0"  
$n1 label "Source/udp1"  
$n2 label "Router"  
$n3 label "Destination/Null"
```

```
#Create link between nodes
```

```
$ns duplex-link $n0 $n2 100Mb 300ms DropTail  
$ns duplex-link $n1 $n2 100Mb 300ms DropTail  
$ns duplex-link $n2 $n3 1Mb 300ms DropTail
```

```
#Set queue size of links
```

```
$ns set queue-limit $n0 $n2 50  
$ns set queue-limit $n1 $n2 50  
$ns set queue-limit $n2 $n3 5
```

```
#Setup a UDP connection
```

```
set udp0 [new Agent/UDP]  
$ns attach-agent $n0 $udp0
```

```
# Create a CBR traffic source and attach it to udp0
```

```
set cbr0 [new Application/Traffic/CBR]  
$cbr0 set packetSize_ 500  
$cbr0 set interval_ 0.005  
$cbr0 attach-agent $udp0
```

```
#Create a UDP agent and attach it to node n1
set udp1 [new Agent/UDP]
$udp1 set class_ 2
$ns attach-agent $n1 $udp1

# Create a CBR traffic source and attach it to udp1
set cbr1 [new Application/Traffic/CBR]
$cbr1 set packetSize_ 500
$cbr1 set interval_ 0.005
$cbr1 attach-agent $udp1

#Create a Null agent (a traffic sink) and attach it to node n3
set null0 [new Agent/Null]
$ns attach-agent $n3 $null0

#Connect the traffic sources with the traffic sink
$ns connect $udp0 $null0
$ns connect $udp1 $null0

#Schedule events for the CBR agents
$ns at 0.5 "$cbr0 start"
$ns at 1.0 "$cbr1 start"
$ns at 4.0 "$cbr1 stop"
$ns at 4.5 "$cbr0 stop"


#Call the finish procedure after 5 seconds of simulation time
$ns at 5.0 "finish"

#Run the simulation
$ns run
```

AWK:

```
BEGIN{
count=0;
}
{
if($1=="d")
count++
}
END{
printf("The Total no of Packets Drop is :%d\n\n", count)
}
```

Simulated Network:



Packet Dropped:

```
krishna@ubuntu:~$ awk -f lab1.awk lab1.tr
krishna@ubuntu:~$ The Total no of Packets Drop is :708
krishna@ubuntu:~$
```

OR

Using grep command: `cat lab1.tr | grep ^d | wc -l`