

## **RUN Xming**





### 1. Download and run PuTTY

FOR ==> 2nd Year - Computer Architecture BE (CSE) IV Semester RUSA Batch

Xming dated 02.03.2021


Putty 32 Bit dated 02.03.2021


Putty 64 Bit dated 02.03.2021


How to install Putty and Xming dated 02.03.2021


| 1 | RuTTY Configuration               |   | ?        | ×     |
|---|-----------------------------------|---|----------|-------|
| L | Category:                         |   |          |       |
|   | Session                           | Basic options for your PuTTY ses            | sion     |       |
|   | Logging                           | Specify the destination you want to connect | t to     |       |
| L | ierminai<br>Keyboard              | Host Name (or IP address)                   | Port     |       |
| 8 | Bell                              | I   | 22       |       |
| L | Features                          | Connection type:                            |          |       |
| L |                                   | ◯ Raw ◯ Telnet ◯ Rlogin ◉ SSH               | ⊖ Se     | erial |
| L | ···· Appearance<br>···· Behaviour | Load, save or delete a stored session       |          |       |
| L | Translation                       | Saved Sessions                              |          |       |
| L |                                   |   |          |       |
|   | Colours                           | Default Settings                            | Load     | 4     |
|   |                                   | puttygui                                    |          | -     |
| L | ···· Data<br>···· Proxy           |   | Save     | в     |
| L | Telnet                            |   | Delet    | te    |
| L | Rlogin                            |   |          |       |
| L | ⊞ SSH                             |   |          |       |
| L | <sup>i</sup> Serial               | Close window on exit:                       |          |       |
|   |                                   | ○ Always ○ Never                            | ean exit |       |
|   |                                   |   |          |       |
|   | About Help                        | Open  | Cance    | el    |
| L | / Dour Help                       | Open  | Carlo    |       |
|   |                                   |   |          |       |

| egory:   |   |  |  |
|--|---|--|--|
| Session  | Basic options for your PuTTY s  |  |  |
| Logging<br>Terminal  | Specify the destination you want to connect to  |  |  |
| Keyboard   | Host <u>N</u> ame (or IP address)   | Port   |  |
| Bell   | 192.168.1.200   | 22   |  |
| Features   | Connection type:  | 10   |  |
| Window   | 1920/2010 M Difference of the second state  |  |  |
| Appearance   | ● <u>S</u> SH ○ Sețial ○ Oţher: Teln  |  |  |
| Behaviour  | Load, save or delete a stored session   |  |  |
| Translation  | Sav <u>e</u> d Sessions   |  |  |
| Selection  |   | 1  |  |
| Colours  |   |  |  |
| Connection   | Default Settings<br>Xming   | Load   |  |
| Data   | Anna  | Save   |  |
| Proxy<br>III SSH   |   | Jave   |  |
| Serial   |   | Delete   |  |
| - Telnet   |   |  |  |
| Rlogin   |   |  |  |
| SUPDUP   | Close window on e <u>xi</u> t:  |  |  |
| ~corresp.c   | O Always O Never ● Only on  | clean exit   |  |
|  |   |  |  |
| About H  | elp <u>O</u> pen  | <u>C</u> ancel<br>?  |  |
| PuTTY Configuration  | n   | ? :  |  |
| PuTTY Configuration<br>egory:<br>Session   |   | ? :  |  |
| PuTTY Configuration<br>egory:<br>Session<br>Logging  | n   | ?  |  |
| PuTTY Configuration<br>egory:<br>Session<br>Logging<br>Terminal  | n<br>Basic options for your PuTTY s   | ?  |  |
| PuTTY Configuration<br>egory:<br>- Session<br>- Logging<br>- Terminal<br>- Keyboard  | n<br>Basic options for your PuTTY s<br>Specify the destination you want to conn   | ? :  |  |
| PuTTY Configuration<br>egory:<br>  | n<br>Basic options for your PuTTY s<br>Specify the destination you want to conn<br>Host <u>N</u> ame (or IP address)<br>[192.168.1.200]   | ? :<br>ession<br>ect to<br>Port  |  |
| PuTTY Configuration<br>egory:<br>  | n<br>Basic options for your PuTTY s<br>Specify the destination you want to conn<br>Host <u>Name (or IP address)</u><br>[192.168.1.200]<br>Connection type:  | ? :<br>ession<br>ect to<br><u>P</u> ort<br>] 22  |  |
| PuTTY Configuration<br>egory:<br>Session<br>Logging<br>Terminal<br>Keyboard<br>Bell<br>Features<br>Window  | n<br>Basic options for your PuTTY s<br>Specify the destination you want to conn<br>Host <u>N</u> ame (or IP address)<br>[192.168.1.200]   | ? :<br>ession<br>ect to<br><u>P</u> ort<br>] 22  |  |
| PuTTY Configuration<br>egory:<br>  | n<br>Basic options for your PuTTY s<br>Specify the destination you want to conn<br>Host <u>N</u> ame (or IP address)<br>[192.168.1.200]<br>Connection type:<br>() <u>S</u> SH () Serial () Other: Teln  | ? :<br>ession<br>ect to<br><u>P</u> ort<br>] 22  |  |
| PuTTY Configuration<br>egory:<br>Session<br>Logging<br>Terminal<br>Keyboard<br>Keyboard<br>Features<br>Features<br>Features<br>Appearance  | n<br>Basic options for your PuTTY s<br>Specify the destination you want to conn<br>Host <u>N</u> ame (or IP address)<br>[192.168.1.200]<br>Connection type:<br>() <u>S</u> SH () Serial () Other: Teln<br>Load, save or delete a stored session | ? :<br>ession<br>ect to<br><u>P</u> ort<br>] 22  |  |
| PuTTY Configuration<br>egory:<br>  | n<br>Basic options for your PuTTY s<br>Specify the destination you want to conn<br>Host <u>N</u> ame (or IP address)<br>[192.168.1.200]<br>Connection type:<br>() <u>S</u> SH () Serial () Other: Teln  | ? :<br>ession<br>ect to<br><u>P</u> ort<br>] 22  |  |
| PuTTY Configuration<br>egory:<br>Session<br>Logging<br>Terminal<br>Keyboard<br>Bell<br>Features<br>Window<br>Appearance<br>Behaviour<br>Translation<br>Selection<br>Colours  | n Basic options for your PuTTY s Specify the destination you want to conn Host Name (or IP address) [192.168.1.200] Connection type: ③ SSH ○ Serial ○ Other: Teln Load, save or delete a stored session Saved Sessions                          | ? :  |  |
| PuTTY Configuration<br>egory:<br>Session<br>Logging<br>Terminal<br>Keyboard<br>Bell<br>Features<br>Window<br>Appearance<br>Behaviour<br>Translation<br>Selection<br>Colours<br>Connection  | n Basic options for your PuTTY s Specify the destination you want to conn Host Name (or IP address) [192.168.1.200] Connection type: ③ SSH ③ Serial ③ Other: Teln Load, save or delete a stored session Saved Sessions Default Settings         | ? :<br>ession<br>ect to<br><u>P</u> ort<br>] 22  |  |
| PuTTY Configuration<br>egory:<br>  | n Basic options for your PuTTY s Specify the destination you want to conn Host Name (or IP address) [192.168.1.200] Connection type: ③ SSH ○ Serial ○ Other: Teln Load, save or delete a stored session Saved Sessions                          | <pre>? .</pre> |  |
| PuTTY Configuration<br>egory:<br>- Session<br>- Logging<br>- Terminal<br>- Keyboard<br>- Bell<br>- Features<br>- Window<br>- Appearance<br>- Behaviour<br>- Translation<br>- Selection<br>- Colours<br>- Connection<br>- Data<br>- Prov  | n Basic options for your PuTTY s Specify the destination you want to conn Host Name (or IP address) [192.168.1.200] Connection type: ③ SSH ③ Serial ③ Other: Teln Load, save or delete a stored session Saved Sessions Default Settings         | ? :  |  |
| PuTTY Configuration<br>egory:<br>  | n Basic options for your PuTTY s Specify the destination you want to conn Host Name (or IP address) [192.168.1.200] Connection type: ③ SSH ③ Serial ③ Other: Teln Load, save or delete a stored session Saved Sessions Default Settings         | <pre>? .</pre> |  |
| PuTTY Configuration<br>egory:<br>- Session<br>- Logging<br>- Terminal<br>- Keyboard<br>- Bell<br>- Features<br>- Window<br>- Appearance<br>- Behaviour<br>- Translation<br>- Selection<br>- Colours<br>- Connection<br>- Data<br>- Provy<br>- SSH<br>- Serial                          | n Basic options for your PuTTY s Specify the destination you want to conn Host Name (or IP address) [192.168.1.200] Connection type: ③ SSH ③ Serial ③ Other: Teln Load, save or delete a stored session Saved Sessions Default Settings         | ect to Port 22 et  Load Save   |  |
| PuTTY Configuration<br>egory:<br>- Session<br>- Logging<br>- Terminal<br>- Keyboard<br>- Bell<br>- Features<br>- Window<br>- Appearance<br>- Behaviour<br>- Translation<br>- Selection<br>- Colours<br>- Connection<br>- Data<br>- Prov  | n Basic options for your PuTTY s Specify the destination you want to conn Host Name (or IP address) [192.168.1.200] Connection type: ③ SSH ③ Serial ③ Other: Teln Load, save or delete a stored session Saved Sessions Default Settings         | ect to Port 22 et  Load Save   |  |
| PuTTY Configuration<br>egory:<br>- Session<br>- Logging<br>- Terminal<br>- Keyboard<br>- Bell<br>- Features<br>- Window<br>- Appearance<br>- Behaviour<br>- Translation<br>- Selection<br>- Colours<br>- Colours<br>- Connection<br>- Data<br>- Protov<br>- SSH<br>- Seial<br>- Telnet | n Basic options for your PuTTY s Specify the destination you want to conn Host Name (or IP address) 192.168.1.200 Connection type:  | ect to Port 22 et  Load Save   |  |
| PuTTY Configuration<br>egory:<br>  | n Basic options for your PuTTY s Specify the destination you want to conn Host Name (or IP address) 192.168.1.200 Connection type:  | ?  |  |










# Type for example, 'gedit hello.c' [change hello.c with your filename. Save the file using 'Save' button on top and close windows using 'x' button on top right

#### <u>corner.</u>



## Compile using 'cc' or 'c++' for running C programs and

C++ programs respectively.